

INDEX MAPS.

T. 27N; R. 9W. 2nd Mer.

	288		288		287		287		287		286	
289	6	304	5	300	4	297	3	294	2	292	1	286
	304		303		300		297		294		292	
289	7	303	8	299	9	297	10	294	11	292	12	286
	303		303		299		296		294		291	
289	18	303	17	299	16	296	15	294	14	291	13	286
	302		302		299		296		293		291	
289	19	302	20	299	21	296	22	293	23	291	24	286
	302		301		298		295		293		291	
289	30	301	29	298	28	295	27	293	26	290	25	286
	301		301		298		295		292		290	
288	31	300	32	298	33	295	34	292	35	290	36	286
	285		285		285		285		285		285	

Meanders 305

Meanders 305

T. 28N; R. 9W. 2nd Mer.

	317	317	317	316	316	316	316	316	316	316	316	316
317	6	334	5	330	4	327	3	324	2	321	1	316
	334		333		330		327		324		321	
317	7	333	8	329	9	326	10	323	11	320	12	316
	333		333		329		326		323		320	
317	18	332	17	329	16	326	15	323	14	320	13	316
	332		332		328		325		323		320	
317	19	331	20	328	21	325	22	322	23	320	24	315
	331		331		328		325		322		319	
316	30	331	29	328	28	325	27	322	26	319	25	315
	331		330		327		324		322		318	
316	31	330	32	327	33	324	34	321	35	318	36	315
	314		314		313		313		313		313	

Meanders 334

The figures on the lines refer to the page.

285

Township N. 27 North, Range N. 9 West 2. Mer. Ind.

Township Lines.

Chas. W. South Boundary. Var. $6^{\circ}15'$ E.

West on the S. Boundary of Sec. 36

40.00 set q. sec. post and raise mound

80.00 set post cor. of sec. 35 & 36 and raise mound.

Land gradually rolling & T. to dry Prairie

West on the S. Boundary of Sec. 35

40.00 set q. sec. post and raise mound

80.00 set post cor. of sec. 34 & 35 and raise mound

Land same

West on the S. Boundary of Sec. 34

40.00 set q. sec. post and raise mound

40.50 a Run 2 M. wide course NW

80.00 set post cor. of sec. 33 & 34 and raise mound

Land same

West on the S. Boundary of Sec. 33

40.00 set q. sec. post and raise mound

80.00 set post cor. of sec. 32 & 33 and raise mound

Land same

West on the S. Boundary of Sec. 32

40.00 set q. sec. post and raise mound

80.00 set post cor. of sec. 31 & 32 and raise mound

Land same

West on the S. Boundary of Sec. 31

40.00 set q. sec. post and raise mound

59.61 Intersect W. Boundary 76 M. S. of post—

set post at intersection cor. of T. 26 & 27 N. R. 9 &

10 W. and raise mound.

Land same. April 11. 1834

East Boundary. Var. $6^{\circ}25'$ E.

T. 27 N., R. 9 W. 2. Mer. Ind. &
Cp. 201

North on the E. Boundary of Sec. 36

40.00 set gr. sec. post and raise mound

80.00 set post cor. of sec. 25 & 36 and raise mound.

Land rolling & T. rate dry Prairie

North on the E. Boundary of Sec. 25

40.00 set gr. sec. post and raise mound

80.00 set post cor. of sec. 24 & 25 and raise mound.

Land same

North on the E. Boundary of Sec. 24

40.00 set gr. sec. post and raise mound

80.00 set post cor. of sec. 13 & 24 and raise mound

Land level & T. rate Prairie

North on the E. Boundary of Sec. 13

40.00 set gr. sec. post and raise mound

80.00 set post cor. of sec. 12 & 13 and raise mound

Land same

North on the E. Boundary of Sec. 12

40.00 set gr. sec. post and raise mound

80.00 set post cor. of sec. 11 & 12 and raise mound

Land same

North on the E. Boundary of Sec. 1

40.00 set gr. sec. post and made mound

80.00 set post (temp.) for cor. of T. 27 & 28, R. 8 & 9 W.

Land same. Thursday, April 10. 1834

North Boundary. Var. 6° 10' E.

West on the S. Boundary of Sec. 36, T. 28 N., R. 9 W.

40.00 set gr. sec. post and made mound

80.00 set post cor. of sec. 35 & 36 and raise mound

Land level & good Prairie, wet in places.

T. 27 N., R. 9 W. 2. Mer. Ind.

Chr. Lk.

West on the S. Boundary of Sec. 35, T. 28 N., R. 9 W

40.00 set of sec. post and raise mound.

72.50 leave Prairie Center T. State timbered land

80.00 set post cor. of sec. 34 & 35 from which

a R. Oak 10 in. diam. bears N 54 1/4 W 48 lbs. dist. 3

a Spr 14 " " " N 54 E 373 " "

Prairie similar

West on the S. Boundary of Sec. 34, T. 28 N., R. 9 W

23.00 at Brook 5 lbs. wide course NW

40.00 set of sec. post from which

a W. Oak 9 in. diam. bears N 9 E 162 lbs. dist. 3

a Spr 16 " " " North 165 " "

66.00 Prairie Bottom

69.01 set post on left bank of Pickamink River

course SW. from which

a Bur Oak 22 in. diam. bears S 73 3/4 E 323 lbs. dist. 3

a Spr 24 " " " N 81 1/4 E 370 " "

71.19 over River, a Thorn Apple 8 in. diam. corner

80.00 set post cor. of sec. 33 & 34 from which

a Spr 15 in. diam. bears N 73 1/2 E 52 lbs. dist. 3

a Spr 13 " " " N 41 1/2 W 37 " "

Land gently rolling, soil T. State, heavily
timbered with Oak, Ash, Elm, Spruce, Walnut

West on the S. Boundary of Sec. 33, T. 28 N., R. 9 W

1.83 a Bur Oak 30 in. diam.

11.05 a B. Oak 36 " "

40.00 set of sec. post from which

a Hickory 15 in. diam. bears N 6 3/4 W 54 lbs. dist. 3

an Elm 16 " " " N 43 3/4 E 86 " "

70.50 at Brook 4 lbs. wide course S.

80.00 set post cor. of sec. 32 & 33 from which

a W. Oak 24 in. diam. bears N 77 W 32 lbs. dist. 3

a Bur Oak 48 " " " N 27 1/4 E 65 " "

Land same. West half Sugar camp

T. 27 N., R. 9 W. 2. Mer. Ind.^a
Chs. Ind.

West on the S. Boundary of Sec. 32, T28 N., R9 W.

7.00 River Bottom timbered

11.20 set post on right bank of Pickamint River
course from S.E. to S.W. from which
a W. Ash 7 in. dia. bears S 78 1/4 E 50 lbs. dist. 25
a Do 17 " " " N 33 3/4 E 140 " "

16.30 leave River & set post on right bank (Bluffs)
from which

a Y. Oak 24 in. dia. bears S 55 W 23 lbs. dist. 25
a Do 19 " " " N 32 W 12 " "

40.00 set q. sec. post from which

a W. Oak 15 in. dia. bears N 43 1/4 W 114 lbs. dist. 8
a R. Oak 14 " " " N 72 E 10 " "

64.97 a W. Oak 24 " "

80.00 set post cor. of sec. 31 & 32 from which

a W. Ash 28 in. dia. bears N 45 2/3 W 72 lbs. dist. 8
a Hickory 16 " " " N 10 E 25 " "

East of River similar - West of River hea-
vily timbered with mostly W & R. Oak.
Rather wet soil

West on the S. Boundary of Sec. 31, T28 N., R9 W

0.10 a Hickory 10 in. dia.

21.00 leave timber & enter dry Prairie

40.00 set q. sec. post from which

a Bur Oak 18 in. dia. bears S 33 1/2 E 254 lbs. dist.
and made mound

54.35 Intersect W. Boundary 937 lbs. S. of temp. post.

Set post at intersection cor. of T. 27 & 28 N., R. 9
S 10 W. and raise mound from which

a Bur Oak 28 in. dia. bears S 75 1/4 E 422 lbs. dist.
Timbered land same as last mile, Prairie
low & wet. April 11. 1834

West Boundary. Var. 6. 30. E.
North on the E. Boundary of Sec. 36, T27 N., R10 W.

cont.

T. 27 N., R. 9 W. 2. Mer. Ind.

Ch. 10.

40.00 set of sec. post and raise mound

80.00 set post cor. of sec. 25 & 30 and raise mound

Land gently rolling T. rate dry Prairie

North on the E. Boundary of Sec. 25, T. 27 N., R. 10 W

40.00 set of sec. post and raise mound

80.00 set post cor. of sec. 24 & 25 and raise mound

Land rolling & 2. rate, wet in places & some stony

North on the E. Boundary of Sec. 24, T. 27 N., R. 10 W

34.50 a shallow Pond

40.00 of sec. cor. in Pond

40.00 North side of Pond

80.00 set post cor. of sec. 13 & 24 and raise mound

Land same

North on the E. Boundary of Sec. 13, T. 27 N., R. 10 W

40.00 set of sec. post and raise mound

80.00 set post cor. of sec. 12 & 13 and raise mound

Land same

North on the E. Boundary of Sec. 12, T. 27 N., R. 10 W

40.00 set of sec. post and made mound

54.50 a Stream 12 M. wide course NW

60.00 have Prairie and scattering timber

80.00 set post cor. of sec. 8 & 12 and raise mound

Land rolling & T. rate, timber Oaks Hickory

North on the E. Boundary of Sec. 1, T. 27 N., R. 10 W

40.00 set of sec. post from wharf

a W. Oak 4 in. diameter N 54° W 36 M. dist. 2

a B. Oak 7 " " " S 81° W 67 " "

40.40 set post on left bank of Pickawink River,
course NW. from wharf

a Spruce 10 in. diameter N 75° W 34 M. dist. 2

an Elm 24 " " " N 43° E 35 " "

T. 27 N., R. 9 W. 2. Mer. Ind. a

Chs. Lk.

42.30 set post on right bank of River from which
a Sycamore 18 in. dia. bears N 82° W 40 W. dist.
a Mulberry 16 " " " N 52½° E 86 " "

50.78 a Y. Oak 14 in. dia.

04.00 enter Prairie

80.00 set temp. post for cor. of T. 27 & 28 N., R. 9 & 10 W.
Land level & 1. rate, timber Oak, Ash,
Elm, Gum, Sycamore.

April 11. 1834 Sylvester Sibley
Deputy Surveyor.

Subdivision.

Commenced on the 25th day of July, and
finished on the 6th day of August 1834
North between Sec. 35 & 36.

40.00 set g. sec. post made mound of sod, put East
4 Ws. put charcoal in.

80.00 set post cor. of sec. 25, 26, 35 & 36 made mound
of sod, put South 4 Ws.
Land gently rolling, soil 1. rate

East on Random between Sec. 25 & 36

80.10 Intersect C. Boundary 10 Ws. N. of post -
Land same

West Connected between Sec. 25 & 36

40.05 set g. sec. post at aver. dist. made mound of sod
80.10 to sec. cor.

North between Sec. 25 & 26

40.00 set g. sec. post made mound of sod, put East
4 Ws.

80.00 set post cor. of sec. 23, 24, 25 & 26 made mound
of sod, put South 4 Ws.
Land same

T. 27 N., R. 9 W. 2. Mer. Ind. 4.
Chas. L. H.

East on Random between Sec. 24 & 25

80.00 Intersect E. Boundary 6 Ws. N. of port -
Sand same

West Corrected between Sec. 24 & 25

40.00 Set of sec. port at aver. di. made mound, pit
East 4 Ws.

80.00 to sec. cor.

North between Sec. 23 & 24

40.00 Set of sec. port made mound, pit East 4 Ws.

80.00 Set port cor. of sec. 13, 14, 23 & 24 made mound,
pit South 4 Ws. Sand same

East on Random between Sec. 13 & 24

79.90 Intersect E. Boundary 8 Ws. S. of port -
Sand level T. rate, wet in places

West Corrected between Sec. 13 & 24

39.95 Set of sec. port at aver. di. made mound, pit
East 4 Ws. put a stone in

79.95 to sec. cor.

North between Sec. 13 & 14

40.00 Set of sec. port made mound of sod, put a
stone in.

42.00 enter Pond

42.87 leave "

80.00 Set port cor. of sec. 11, 12, 13 & 14 made mound
of sod, pit South 4 Ws.

Sand level T. rate, wet in places

East on Random between Sec. 12 & 13

79.87 Intersect E. Boundary 15 Ws. S. of port -
Sand level, soil T. rate, wet in places.

T. 27 N., R. 9 W. 2. Mer. Ind.^o
 Ch. Sk.

West Corrected between Sec. 12 & 13

39.93¹/₂ set q. sec. post at aver. dnt. made mound, pit
 4 Ws. East

79.87 to sec. cor.

North between Sec. 11 & 12

40.00 set q. sec. post made mound of sod, pit East 4 Ws.

80.00 set post cor. of sec. 1, 2, 11 & 12 made mound of
 sod, pit South 4 Ws.

Sand level some wet, soil 1.st rate

East on Random between Sec. 1 & 12

79.90 Intersect Co. Boundary 10 Ws. S. of post -

Sand rolling sandy 2.nd rate

West Corrected between Sec. 1 & 12

39.95 set q. sec. post at aver. dnt. made mound, pit
 East 4 Ws.

79.90 to sec. cor.

North between Sec. 1 & 2

40.00 set q. sec. post made mound

71.48 Intersect N. Boundary 104 Ws. E. of post -

set post at intersection cor. of sec. 1 & 2 made
 mound, pit South 4 Ws.

Sand level, soil sandy dry 1.st rate

July 24. 1834

North between Sec. 34 & 35

40.00 set q. sec. post and made mound of sod, post
 charcoal in, pit East 4 Ws.

80.00 set post cor. of sec. 20, 27, 34 & 35 made mound

Sand high dry rolling Prairie, soil 1.st rate

East on Random between Sec. 20 & 35

80.10 Intersect N. & S. line 15 Ws. N. of post -

293

T. 27 N., R. 9 W. 2. Mer. Ind^a

Chs. 8th?

Land same

West Corrected between Secs. 26 & 35

40.05 set q. sec. post at aver. dist. made mound of sod
pit East 4th M^{rs}.

80.10 to sec. cor.

North between Secs. 26 & 27

40.00 set q. sec. post made mound, pit East 4th M^{rs}.

80.00 set post cor. of sec. 22, 23, 26 & 27 made mound of
sod, pit South 4th M^{rs}. Land same

East on Random between Secs. 23 & 26

80.09 Intersect N. S. line 8 M^{rs}. N. of post—
Land same

West Corrected between Secs. 23 & 26

40.04 1/2 set q. sec. post at aver. dist. made mound of
sod, pit East 4th M^{rs}.

80.09 to sec. cor.

North between Secs. 22 & 23

40.00 set q. sec. post made mound, pit East 4th M^{rs}.

70.80 enter pond

73.00 leave "

80.00 set post cor. of sec. 14, 15, 22 & 23 made mound,
pit South 4th M^{rs}.

Land level, wet in places, soil T. rate

East on Random between Secs. 14 & 23

80.05 Intersect N. S. line 10 M^{rs}. N. of post—
Land level wet in places.

West Corrected between Secs. 14 & 23

40.02 1/2 set q. sec. post at aver. dist. & made mound
pit East 4th M^{rs}.

294

T. 27 N., R. 9 W. 2. Mer. Ind.?

Ch. 20?

80.05 to sec. cor.

North between Sec. 14 & 15

40.00 set gr. sec. post made mound pit East 4 lks.

80.00 set post cor. of sec. 10, 11, 14 & 15

Sand level Prairie, good soil

East on Random between Sec. 11 & 14

80.08 Intersect N. S. line 8 lks. N. of post

Sand same

West Corrected between Sec. 11 & 14

40.04 set gr. sec. post at aver. dnt. made mound
pit 4 lks. East

80.08 to sec. cor.

North between Sec. 10 & 11

40.00 set gr. sec. post made mound pit East 4 lks.

80.00 set post cor. of sec. 2, 3, 10 & 11 made mound, pit
South 4 lks.

Sand South half mile level, wet in places,
North half mile rolling, soil sandy 2^d rate

East on Random between Sec. 2 & 11

79.94 Intersect N. S. line 10 lks. N. of post

Sand West half mile level, East half mile
rolling sandy soil 2^d rate

West Corrected between Sec. 2 & 11

39.97 set gr. sec. post at aver. dnt. made mound
of sod & earth, pit 25 lks. E.

79.94 to sec. cor.

North between Sec. 2 & 3

40.00 set gr. sec. post made mound of sod, pit
East 4 lks.

T. J. N., R. G. W. D. Mer. Ind.^a
Chs. J. N.

41.00 enter field on South side
59.80 leave field on North side
61.00 enter timber ESW
62.18 at Brook 12 Ws. wide course ESW
71.54 Intersect N. Boundary 120 Ws. E. of post—
set post at intersection cr. of sec. 2 & 3 from which
a R. Oak 14 in. diam. bears S 78° W 127 Ws. dist. 3
a S. 10 " " " S 15° E 222 " "
(Description of land omitted) July 25, 1834

North between Sec. 33 & 34

40.00 set q. sec. post made mound of sod, pit East
4 Ws. put charcoal in
80.00 set post cr. of sec. 27, 28, 33 & 34 made mound of
sod, pit South 4 Ws.
Land rolling 1st rate Prairie.

East on Random between Sec. 27 & 34

80.10 Intersect N. & S. line 20 Ws. N. of post—
Land rolling, Soil 1st rate

West Corrected between Sec. 27 & 34

40.05 set q. sec. post at aver. dist. made mound
pit East 4 Ws.
80.10 to sec. cr.

North between Sec. 27 & 28

40.00 set q. sec. post made mound of sod, pit East
4 Ws.
80.00 set post cr. of sec. 21, 22, 27 & 28 made mound
of sod pit South 4 Ws.
Land same

East on Random between Sec. 22 & 27

80.08 Intersect N. & S. line 15 Ws. N. of post—
Land gently rolling 1st rate

T. 27 N., R. 9 W. 2. Mer. Ind.

Chs. 100.

West. Corrected between Sec. 22 & 27

40.04 set q. sec. post at aver. dist. made mound of sod, pit East 4 Ws.

80.08 to sec. cor.

North between Sec. 21 & 22

40.00 set q. sec. post made mound of sod, pit East 4 Ws.

80.00 set post cor. of sec. 15, 16, 21 & 22 made mound of sod, pit South 4 Ws.

Land level wet in places, soil 1st rate

East on Random between Sec. 15 & 22

80.06 Intersect N & S. line 4 Ws. N. of post

Land same

West Corrected between Sec. 15 & 22

40.03 set q. sec. post at aver. dist. made mound of sod, pit East 4 Ws.

80.06 to sec. cor.

North between Sec. 15 & 16

40.00 set q. sec. post made mound of sod, pit E. 5 Ws.

80.00 set post cor. of sec. 9, 10, 15 & 16 made mound of sod, pit South 4 Ws.

Land gently rolling wet in places, North half sandy dry Prairie

East on Random between Sec. 10 & 15

80.20 Intersect N & S. line 12 Ws. N. of post

Land same as last mile

West Corrected between Sec. 10 & 15

40.10 set q. sec. post at aver. dist. made mound of sod, pit East 4 Ws.

80.20 to sec. cor.

T. 27 N., R. 9 W. 2. Mer. Ind^a.

Chas. Spr.

North between Sect. 9 & 10

40.00 set gr. sec. post made mound of sod, pit East 4 lbs.

80.00 set post cor. of sec. 3, 4, 9 & 10 made mound of sod,
pit South 4 lbs. Land level 1st rate

East in Random between Sect. 3 & 10

80.20 Intersect N. S. line 6 lbs. N. of post -
Land rolling 1st rate sandy

West Connected between Sect. 3 & 10

40.10 set gr. sec. post at aver. dist. made mound of
sod, pit East 4 lbs.

80.20 to sec. cor.

North between Sect. 3 & 4

25.58 enter field on S.E. side

32.50 leave field on N.E. side

40.00 set gr. sec. post from which

a B. Oak 20 in. dia bears N 15 E 86 lbs. dist. 8

a Do 15 " " " N 16 W 69 " "

41.08 enter timber E & W

46.50 set post on left bank of Pickamink River
from which

a W. Oak 15 in. dia bears S 56 W 60 lbs. dist. 8

a Do 20 " " " S 46 E 71 " "

47.00 a Lycamore 6 in. dia.

48.84 set post on right bank of River from which

a H. Locust 12 in. dia bears N 35 E 12 lbs. dist. 8

a Hackberry 6 " " " S 18 E 14 " "

Measured width by the chain

54.40 a Hackberry 15 in. dia.

70.00 a R. Oak 18 in. dia.

71.80 Intersect N. Boundary 93 lbs. E. of post -

set post at intersection cor. of sec. 3 & 4 from which

a Sugar 16 in. dia bears S 5 W 16 lbs. dist. 8

an Ash 8 " " " S 40 W 40 " "

T. 27 N., R. 9 W. 2. Mer. Ind.

Chs. Sk.

Land South half mile T. rate Prairie, from
 Prairie to River 2. rate, W. B. Oak, Sapaprap
 Whortleberry - North half from River to cor.
 Bottom, Hackberry, Sugar, Honey Locust
 Pawpaw &c. July 27, 1834

North between Sec. 32 & 33

40.00 set of sec. post raise mound of sod put char-
 coal in, pit East 4 Ws.

80.00 set post cor. of sec. 28, 29, 32 & 33 made mound
 of sod, pit South 4 Ws.

Land rolling dry Prairie, T. rate

East on Random between Sec. 28 & 33

80.10 Intersect N. & S. line 10 Ws. N. of post -
 Land same

West Corrected between Sec. 28 & 33

40.05 set of sec. post at aver. dirt, made mound
 of sod, pit East 4 Ws.

80.10 to sec. cor.

North between Sec. 28 & 29

40.00 set of sec. post made mound of sod, pit East
 4 Ws.

80.00 set post cor. of sec. 20, 21, 28 & 29 made mound
 pit South 4 Ws. Land same

East on Random between Sec. 21 & 28

80.06 Intersect N. & S. line 4 Ws. N. of post -
 Land same

West Corrected between Sec. 21 & 28

40.03 set of sec. post at aver. dirt, made mound
 of sod, pit East 4 Ws.

80.06 to sec. cor.

T. 27 N., R. 9 W. 2. Mer. Ind.

Chs. 9th

North between Secs. 20 & 21

40.00 set gr. sec. post made mound of sod, pit East
4 lbs.

80.00 set post cor. of sec. 16, 17, 20 & 21 made mound
of sod, pit South 4 lbs. Land same

East on Random between Secs. 16 & 21

80.14 Intersect N. & S. line 5 lbs. N. of post -

Land gently rolling T. & at wet in places

West Corrected between Secs. 16 & 21

40.07 set gr. sec. post at aver. dist. made mound of sod,
pit East 4 lbs.

80.14 to sec. cor.

North between Secs. 16 & 17

40.00 set gr. sec. post made mound of sod, pit East
4 lbs.

80.00 set post cor. of sec. 8, 9, 16 & 17 made mound of
sod, pit South 4 lbs.

Land rolling & dry T. & at

East on Random between Secs. 9 & 16

80.04 Intersect N. & S. line 3 lbs. N. of post -

Land same

West Corrected between Secs. 9 & 16

40.02 set gr. sec. post at aver. dist. made mound,
pit East 4 lbs.

80.04 to sec. cor.

North between Secs. 8 & 9

40.00 set gr. sec. post & made mound of sod, pit
East 4 lbs.

52.00 a Brook 4 lbs. wide course W.

80.00 set post cor. of sec. 4, 5, 8 & 9

T. 27 N., R. 9 W. 2^d Mer. Ind.^a
 Ch. Sk?

Land level wet in places, soil T.th rate

East on Raudem between Sec. 4 & 9

80.10 Intersect N. S. line 6 Ws. N. of post—
 Land gently rolling T.th rate Prairie

West Corrected between Sec. 4 & 9

40.05 set of sec. post at aver. dist. made mound of
 sod, pit East 4 Ws.

80.10 to sec. cor.

North between Sec. 4 & 5

19.50 Wagon Road E & W

40.00 set of sec. post made mound of sod, pit E. 4 Ws.

49.50 enter scattering timber E & W

51.25 left bank of Pickamink River, high banks,
 course N.W. current sluggish, set post
 from which

a W. Oak 15 in. diam. N 18° W 90 Ws. dist. 8

a B. Jack 10 " " " S 39° E 193 " "

54.20 set post on right bank of River from which

a W. Ash 18 in. diam. S 29½° E 22 Ws. dist. 8

a Do 20 " " " N 73° W 4 " "

Measured width by base 2, oblique angled
 Trigonometry. July 28. 1834

64.19 an Ash 20 in. diam.

71.00 a Brook 4 Ws. wide course W

73.00 Intersect N. Boundary 50 Ws. E. of post—

set post at intersection cor. of sec. 4 & 5 from which

a Red Elm 24 in. diam. S 41° W 45 Ws. dist. 8

a B. Walnut 15 " " " S 43° E 56 " "

(Description of land omitted)

North between Sec. 31 & 32

40.00 set of sec. post made mound of sod, put
 charcoal in, pit East 6 Ws.

T. 27 N., R. 9 W. 2. Mer. Ind.^a
 Chas. L. H.

80.00 set post cor. of sec. 29, 30, 31 & 32 made mound of
 sod, pit South 4 hrs.

Land rolling 1st rate dry Prairie

East on Random between Sec. 29 & 32

80.00 Intersect N. & S. line 10 hrs. N. of post—

Land rolling & dry soil 1st rate

West Connected between Sec. 29 & 32

40.00 set of sec. post at aver. dist. made mound
 of sod, pit East 4 hrs.

80.00 to sec. cor.

West on Random between Sec. 30 & 31

59.35 Intersect W. Boundary 15 hrs. S. of post—

Land rolling wet in places, soil 1st rate

East Connected between Sec. 30 & 31

19.35 set of sec. post & raised mound, pit E. 4 hrs.

59.35 to sec. cor.

North between Sec. 29 & 30

40.00 set of sec. post and made mound, pit East
 4 hrs.

80.00 set post cor. of sec. 19, 20, 29 & 30—

Land same

East on Random between Sec. 28 & 29

80.00 Intersect N. & S. line at post—

Land same

West Connected between Sec. 28 & 29

40.00 set of sec. post at aver. dist. made mound
 of sod, pit East 4 hrs.

80.00 to sec. cor.

T. 27 N., R. 9 W. 2. Mer. Ind.

Chs. 30.

West on Random between Sec. 19 & 30

59.30 Intersect W. Boundary 10 Ws. S. of port -
Land dry rolling T^h rate Prairie

East Corrected between Sec. 19 & 30

19.30 set g. sec. port made mound of sod, pit East
4 Ws.

59.30 to sec. cor.

North between Sec. 19 & 20

40.00 set g. sec. port raised mound of sod, pit
East 4 Ws.

45.10 a Pond 100 Ws. wide

80.00 set port cor. of sec. 17, 18, 19 & 20
Land level & wet in places, soil T^h rate

East on Random between Sec. 17 & 20

30.20 enter Marsh

45.00 leave "

80.04 Intersect N. S. line 12 Ws. N. of port -
Land rolling wet in places.

West Corrected between Sec. 17 & 20

40.02 set g. sec. port at aver. dist. made mound of
sod, pit N 10 E. 30 Ws.

80.04 to sec. cor.

West on Random between Sec. 18 & 19

59.20 Intersect W. Boundary 20 Ws. S. of port -
Land rolling T^h rate

East Corrected between Sec. 18 & 19

19.20 set g. sec. port made mound of sod, pit
East 4 Ws.

59.20 to sec. cor. July 29, 1834

T. 27 N., R. 9 W. 2. Mer. Ind.^a
Ch. 20?

North between Sec. 17 & 18

40.00 set gr. sec. post made mound of sod, pit E. 4 lbs.

80.00 set post cor. of sec. 7, 8, 17 & 18 made mound of
sod, pit South 4 lbs.

Land level dry Prairie, 1st rate

East on Random between Sec. 8 & 17

79.94 Intersect N. & S. line 12 lbs. N. of post -

Land same

West Corrected between Sec. 8 & 17

39.97 set gr. sec. post at aver. dirt. made mound of
sod, pit East 4 lbs.

79.94 to sec. cor.

West on Random between Sec. 7 & 18

40.20 a Branch 2 lbs. wide course N.

57.00 Intersect W. Boundary 25 lbs. S. of post -

Land rolling T. rate

East Corrected between Sec. 7 & 18

17.00 set gr. sec. post made mound of sod, pit East
4 lbs.

57.00 to sec. cor.

North between Sec. 7 & 18

40.00 set gr. sec. post made mound, pit East 4 lbs.

55.10 enter a round pool of water inlet and outlet
of a small Brook 6 lbs. wide

58.29 leave pool

80.00 set post cor. of sec. 5, 6, 7 & 18 made mound of
sod, pit South 4 lbs.

Land level, soil 1st rate

East on Random between Sec. 5 & 18

79.86 Intersect N. & S. line 14 lbs. N. of post -

T. 27 N., R. 9 W. 2^d. Mer. Ind.^aChs. 1stLand level, soil 1st rate

West Corrected between Sec. 5 & 8

39.93 set g. sec. post at aver. dist. made mound
of sod, pit East 4 hrs.

79.86 to sec. cor.

West in Random between Sec. 6 & 7

56.20 Intersect W. Boundary 10 hrs. S. of post—
Land 1st rate rolling

East Corrected between Sec. 6 & 7

16.20 set g. sec. post made mound, pit East 4 hrs.

56.20 to sec. cor.

North between Sec. 5 & 6

33.50 enter timber NE & SW

36.25 set post on left bank of Pickawink River
from which

a W. Oak 36 in. dia. bears S 47 E 48 hrs. dist. 8

a S. 40 " " " S 68 W 35 " "

38.90 over River, measured width by chain.

Course W. Set post on right bank from which

a W. Ash 10 in. dia. bears S 32 W 8 hrs. dist. 8

a Syc. 22 " " " N 32 E 34 " "

40.00 set g. sec. post from which

a Mulberry 15 in. dia. bears N 7 E 44 hrs. dist. 8

a W. Walnut 12 " " " S 13 W 17 " "

42.62 a R. Oak 12 in. dia.

51.00 Indian Wigwam & Sugar grove

54.00 leave River bottom

69.10 a W. Oak 30 in. dia.

72.72 Intersect N. Boundary 100 hrs. E. of post—

set post at intersection cr. of Sec. 5 & 6 from

which a R. Oak 30 in. dia. bears S 25 E 6 hrs. dist. 8

a W. Ash 10 " " " S 64 W 47 " "

T. 27 N., R. 9 W. 2. Mer. Ind.

Land South of River L. rate, timber W & B.
Oak, Hickory, B. Jack - on right side in bottom
B. Walnut, Honey Locust, Sugar, Mulberry,
Pawpaw & Spice. Upland Sugar, Hickory, W &
B. Oak, Hazel July 30. 1834

Meanders of Pickawink River. Left bank
down stream. Beginning at post in N. Bound-
ary of Sec. 3, thence:

Courses	Chs. & M.	Remarks.
S 5 E	8.00	In Sec. 3
S 10 W	7.00	high bank
S 17 W	6.00	
S 34 W	5.00	
S 65 W	4.30	at 2.00 Chs. a Brook 4 M. wide course N. to post in line between Sec. 3 & 4
N 73 W	5.50	In Sec. 4
N 8 W	1.50	
N 37 W	13.50	
West	2.50	
S 47 W	4.00	
S 10 W	2.75	
S 3 E	10.75	high bank, cabin South 200 M.
S 28 W	5.00	
S 61 W	4.00	
S 84 W	4.00	
N 64 W	2.75	
N 58 W	11.50	
N 82 W	6.50	
N 66 W	6.50	
N 51 W	9.25	
N 43 W	6.00	
N 33 W	5.50	
S 75 W	2.00	

T. J. N., R. G. W. L. Mer. Ind.

Courses Chrs. Srs.

Remarks

S22W 2.50

S6W 10.00

S30W 2.50

S44W 3.00

N64W 2.00

N40W 4.00 to post in line between Sec. 4 & 5

S30W 3.00 In Sec. 5

N38W 2.00

N44W 11.50

N25W 4.00

N11W 4.50

N39W 1.00

S60W 1.00

S24W 10.00

S16W 2.50

S2W 13.50

S22W 3.50

S44W 5.00

N64W 8.50

N45W 5.00

N63W 4.50

N48W 4.00

S32W 3.00

N8W 3.00

N6E 3.00

N21W 2.00

N55W 3.25

N85W 2.00

N69W 2.00

S30W 7.00

S5W 4.50

S31E 10.00

South 3.00

S19W 2.30

S40W 2.50

T. J. N., R. G. W. L. Mer. Ind.

Courses	Ch. Sh.	Remarks
S62°W	4.50	at 1.50 Ch. a Brook 8 W. wide course NW
N86°W	5.50	
N73°W	6.50	
S82°W	5.45	to port in line between Sec. 5 & 6

N88°W	4.00	In Sec. 6
N62°W	2.50	
N42°W	5.25	
N27°W	5.50	
N50°W	1.50	
S70°W	2.00	
S39°W	3.00	
S12°W	8.00	
S32°W	5.00	a Brook 12 W. wide course N.
S65°W	3.00	
S83°W	6.00	
N74°W	5.50	
N47°W	4.00	
N33°W	6.50	
N35°W	6.00	
N49°W	3.50	
S67°W	4.50	
S59°W	4.50	
S71°W	2.31	to port in W. Boundary. Aug. 5, 1834

This bank through Sec. 6 is not close, it was platted parallel to the right bank.

Right bank down stream. Beginning at port in N. Boundary of Sec. 3, thence:

S30°	6.50	In Sec. 3
S11°W	11.00	
S23°W	5.50	
S45°W	3.00	
S85°W	1.35	to port in line between Sec. 3 & 4

N79°W	3.50	In Sec. 4
N45°W	4.00	
N33°W	8.50	

T. 27 N., R. 9 W. 2^d Mer. Ind^d

Courses	Chs. Sp.	Remarks.
N 68° W	3.50	The right bank in Sec. 44 don't close, it crosses the left bank two or three times, therefore it was drawn parallel to the left bank.
S 81° W	2.50	
S 53° W	3.50	
S 24° W	3.50	
S 19° W	10.75	
S 19° W	3.50	
S 60° W	3.50	
N 59° W	13.25	
N 78° W	10.25	
N 60° W	3.00	
N 51° W	11.00	Inundated bottom
N 39° W	5.25	
N 27° W	4.50	
N 68° W	2.25	
S 56° W	2.50	
S 35° W	2.50	
S 10° W	3.50	
S 4° W	4.50	
S 16° W	4.25	
S 68° W	1.75	
N 66° W	2.50	high bank, 5 Wigwams 2 Chs. North
S 34° W	5.75	
N 38° W	5.50	
N 47° W	2.50	
N 35° W	1.50	
N 48° W	4.50	
N 32° W	3.50	
N 18° W	3.50	
N 1° W	2.95	
S 25° W	10.00	
S 18° W	4.25	at 1.00 Ch. a Brook 25 Ws. wide course W. to port in N. Boundary, thence with said Boundary West 5.10 Ch. to port on right bank, thence down stream again:
S 19° W	4.00	

to port in line between Sec. 4 & 5

In Sec. 5

In Sec. 5

T. 27 N., R. 9 W. 2^d Mer. Ind^d.

Courses	Chs. Shs.	Remarks
S54W	5.00	
S19W	3.50	
S319W	3.00	
S88W	3.00	
N53W	3.50	Bottom
N68W	6.00	
N77W	4.50	
S54W	7.25	Inundated bottom
N5W	8.50	
N39W	3.00	high bank
N66W	2.50	
N81W	3.00	
S66W	3.60	
S30W	7.00	at 1.50 ch. Cabin 200 Yds. West
S12W	3.00	
S2E	3.50	
S19E	1.00	
S31E	2.00	
S10W	2.25	
S25W	2.00	
S40W	2.00	
S64W	2.50	
West	3.00	
N45W	12.00	
S85W	4.30	at 3.75 ch. a Brook 15 Yds. wide course SE. to port in line between Secs. 5 & 6
S85W	3.50	In Sec. 6
N67W	1.50	
N52W	2.50	
N41W	3.00	
N25W	6.75	
N73W	2.50	
S63W	2.00	
S40W	4.50	
S17W	4.00	

T. 27 N., R. 9 W. 2. Mer. Ind.^a

Courses	Chs. Lns	Remarks.
S 3° W	2.50	
S 23° W	5.50	
S 62° W	2.50	
S 89° W	8.25	
N 54° W	3.00	
N 23° W	5.75	
N 34° W	10.00	
N 70° W	3.00	at 1.00 Ch. a Cabin 2.00 Ch. North
S 74° W	3.00	
S 54° W	4.50	
S 66° W	3.70	to post in West Boundary.
August 6. 1834.		

I hereby certify that in pursuance of a contract with Mr. J. Williams, Surveyor General of the United States, for the States of Ohio and Indiana, and the Territory of Michigan, bearing date 26th of May 1834 - and in strict conformity to the Laws of the United States and the Instructions of said Surveyor General, I have surveyed and subdivided into sections Township N. 27 North of Range N. 9 West in the State of Indiana.

And I further certify that the foregoing are the true and original Field Notes of said survey and subdivision, executed as aforesaid.

Certified this 6th day of August 1834

Perrin Kent

Deputy Surveyor.

Thomas Lewis } Chainmen
Elijah Barber }

Nelson Demoss } Markers
Worsley H. Taylor }
E. F. Lucas, Flag-bearer

I certify that the foregoing transcript of
Field Notes of the survey of Township N. 27 North,
in Range N. 9 West of the 2. Principal Meridian,
in the State of Indiana, has been compared with
the original on file in this office, and found to
be correct.

Surveyor General's Office,
Cincinnati, Sept. 20, 1844 }

William Johnston
Sur. Genl.